

Output Agent on Linux

Update Guide

Version: Foundation 24.1

Written by: Documentation Team, R&D
Date: March 2024

Documentation Notice

Information in this document is subject to change without notice. The software described in this document is furnished only under a separate license agreement and may only be used or copied according to the terms of such agreement. It is against the law to copy the software except as specifically allowed in the license agreement. This document or accompanying materials may contain certain information which is confidential information of Hyland Software, Inc. and its affiliates, and which may be subject to the confidentiality provisions agreed to by you.

Complying with all applicable copyright laws is the responsibility of the user. Without limiting the rights under copyright law, no part of this document may be reproduced, stored in or introduced into a retrieval system, or transmitted in any form or by any means (electronic, mechanical, photocopying, recording, or otherwise), or for any purpose, without the express written permission of Hyland Software, Inc. or one of its affiliates.

Hyland, HXP, OnBase, Alfresco, Nuxeo, and product names are registered and/or unregistered trademarks of Hyland Software, Inc. and its affiliates in the United States and other countries. All other trademarks, service marks, trade names and products of other companies are the property of their respective owners.

© 2024 Hyland Software, Inc. and its affiliates.

The information in this document may contain technology as defined by the Export Administration Regulations (EAR) and could be subject to the Export Control Laws of the U.S. Government including for the EAR and trade and economic sanctions maintained by the Office of Foreign Assets Control as well as the export controls laws of your entity's local jurisdiction. Transfer of such technology by any means to a foreign person, whether in the United States or abroad, could require export licensing or other approval from the U.S. Government and the export authority of your entity's jurisdiction. You are responsible for ensuring that you have any required approvals prior to export.

Table of Contents

Documentation Notice.....	2
Updating Output Agent on Linux platforms	4

Updating Output Agent on Linux platforms

To update Output Agent on Linux, complete the following steps.

1. From /inserver6/bin, stop the Output Agent service. To stop services, enter the following command.

```
./inserverOutput -stop
```

2. Copy the inserverOutput.ini file from the /inserver6/etc directory to a backup directory.
3. To obtain Output Agent installation files, contact the Hyland Software Technical Support group. For a list of Technical Support phone numbers, go to hyland.com/pswtscontact.
4. From /inserver6, gunzip and tar the ImageNow_Output_Agent_VERSION#_BUILD#_for_PLATFORM installer file.

```
gunzip ImageNow_Output_Agent_VERSION#_BUILD#_for_PLATFORM.tar.gz  
tar -xvf ImageNow_Output_Agent_VERSION#_BUILD#_for_PLATFORM.tar
```

5. From the inserver6 directory, issue the following command to change ownership:

```
chown -R root:bin *
```

6. Compare the previous inserverOutput.ini file from your backup copy of the inserverOutput.ini file with the new inserverOutput.ini file in /inserver6/etc.
 1. Look for any changes that have been made in the newer version of the inserverOutput.ini file.
 2. Update your settings in the newer version of the inserverOutput.ini file as needed.
 3. Save and close the file.
7. Start the Output Agent service by running `pwd`/service_name for all services in the /inserver6/bin directory.

```
./inserverOutput -start
```