

Business Insight

Installation and Setup Guide

Version: Foundation EP1

Written by: Product Knowledge, R&D
Date: December 2019

Table of Contents

Overview	5
What is the installation process?	5
<i>Prepare for the installation</i>	5
<i>Installation checklist</i>	6
Download required files	6
Install IBM Cognos	7
Create and configure the content store database	7
<i>Create the content store on SQL Server</i>	7
<i>Create the content store on Oracle</i>	7
<i>Create a content store user account</i>	9
<i>Content store database permissions</i>	10
<i>Verify the INOWBI database user authentication in SQL Server</i>	11
Install Cognos	11
Install Business Insight	11
Run the Business Insight Installation Wizard	11
Install Oracle components	13
<i>Install Oracle Runtime</i>	13
<i>Install Oracle drivers</i>	14
Start the IBM Cognos service	14
Configure the Perceptive Content connection	14
<i>Configure the inserver.ini</i>	15
<i>Prepare your Perceptive Content database</i>	15
Configure Internet Information Services (IIS)	16
<i>Configure sites in IIS 7.x and 8.x</i>	16
<i>Configure sites in IIS 6.x</i>	20
Install Perceptive Content Client integration	21
<i>Obtain the license files</i>	22
License Business Insight	22
<i>Install Perceptive Content product licenses</i>	22
Run the Business Insight integration utility	23
<i>Define the archive import</i>	23
<i>Run the integrator</i>	23
<i>Connect to Perceptive Content</i>	23

Business Insight privileges	24
<i>BI Owner</i>	24
<i>View User</i>	24
<i>Author User</i>	24
<i>Scheduling</i>	24
Troubleshooting Business Insight installation.....	25
Issues starting the Business Insight service.....	25
<i>When starting the service, the content manager connection is not successful</i>	25
<i>When starting the service, Tomcat returns an error</i>	25
<i>Issues running the BI Integrator</i>	27
<i>Issues logging into Business Insight</i>	30
Appendix A: Report on multiple databases	31
Create additional data sources.....	31
Specify the reporting database.....	31
Appendix B: Uninstall Business Insight.....	32
Stop the Business Insight website.....	32
Run the uninstall wizard for Business Insight.....	32
Run the uninstall wizard for IBM Cognos	32
Remove the content store	32
Appendix C: Server and client configuration tables	33
inserver.ini	33
Appendix D: Configure an SSL certificate.....	34
Add a self-signed certificate in IIS 7	34
Configure Perceptive Content Server for SSL	35
Appendix E: IBM Cognos 10.2.2 Upgrade	35
Install Cognos 10.2.2 on a separate server.....	35
Uninstall Cognos 10.2.1 and install 10.2.2.....	36

Overview

The Perceptive Business Insight suite allows you to use high-level dashboards, self-service reporting tools, and report scheduling and distribution tools to evaluate and improve the efficiency of content-related routines in your organization.

Note Business Insight is the Enterprise Software integration layer that sits on top of IBM Cognos. For this guide, the terms IBM Cognos and Perceptive Business Insight can be used interchangeably.

Using Business Insight, you can achieve the following goals.

Use dashboards to make more informed decisions associated with ECM-supported processes.

- Improve process and workflow efficiencies using advanced reporting tools.
- Expedite audit across your enterprise.
- Provide non-intrusive system transparency.
- Identify deficiencies and discrepancies in your content and data repository.
- Measure productivity using standard and consistent reporting.
- Supply all users with the metrics they need for system-wide report access.

You can install Business Insight as a 32-bit application on supported 32-bit and 64-bit operating systems.

What is the installation process?

The following steps outline the high-level procedures that you need to perform to install and configure ImageNow Business Insight and information you need to verify before the installation.

Note Starting with Perceptive Content, version 7.0.x and higher, you must install Integration Server as part of the Business Insight product suite.

Prepare for the installation

Before you install Business Insight, verify the following information.

- Perceptive Content Server and Integration Server are started.
- On the computer where you install Business Insight, network ports 9300, 9362, and 9399 are open.
- A version of Internet Information Services (IIS) 6.x or greater is installed.
- Obtain the TCP/IP host name or TCP/IP address and the authorization port of the computer where you install Business Insight.
- Obtain the server name and authorization port of the computer that hosts the Business Insight content store database.
- Obtain the SMTP Server Name and authorization port of the e-mail server computer. A connection to a mail server is required to send report notifications.
- Make sure that you have sufficient disk space for executables and object storage, as outlined in the *Technical Specifications* document.
- Make sure that you have a user name and password for the Enterprise Software Customer Portal so you can download product files for installation.

- Verify your installation of Business Insight is compatible with your version of Perceptive Content Server.
- Make sure you are not installing Business Insight on the same computer as the Forms Server.

Installation checklist

To install Business Insight, perform the following procedures in the listed order.

1. Create the database for the Business Insight Content Store.
2. Download the Business Insight setup kit from the Enterprise Software Customer Portal.
3. Run the Business Insight Installation Wizard.
4. Configure your web application server.
5. Start Business Insight services.
6. Run the Business Insight integration utility.

Important This document assumes you are installing Business Insight for the first time and that you have a Perceptive Content Server and at least one Perceptive Content Client in your environment.

Download required files

1. Go to the Enterprise Software [website](#) and log in to the **Customer Portal**.
2. In the **Product Downloads** page, search for all downloadable items for the specific product and version you want to use. These files may include a product installer, product documentation, or set of supporting files.
3. Download the relevant files to a temporary directory on your computer.
4. Uncompress and install the IBM Cognos Server, component services, fix packs, and patches in this order. For more information, refer to the IBM Cognos documentation.
 - bi_svr_32b_10.2.1_win.tar.gz
 - mobile_10.2.1_mp_ml.tar.gz
 - bisrvr_win32_10.2.5001.156_fixpack1.tar.gz
 - bisrvr_win32_10.2.5001.1016_patch1.tar.gz
 - bisrvr_win32_10.2.5001.1048_patch2.tar.gz

Note The mobile service is only required if you need to access Cognos from a mobile device using the IBM Cognos Mobile application. You can download the IBM Cognos Mobile application for free from the iOS and Android app stores.

Install IBM Cognos

Before you can run the IBM Cognos installation wizard, you must first create the content store, download the installation package, and install the required components. You can install IBM Cognos on any server computer that does not currently host the Forms server. We recommend you do not install IBM Cognos on the Perceptive Content Server computer.

Create and configure the content store database

On the computer that hosts the DBMS, you must create a new database to use for Business Insight reporting that can communicate with Perceptive Content Server.

Create the content store on SQL Server

This procedure varies depending on your version of SQL Server.

1. Open **SQL Server Management Studio**.
2. In **Object Explorer**, right-click **Databases** and select **New Database**.
3. In the **New Database** dialog box, complete the following substeps.
 1. In the **Database name** box, type **INOWBI**.
 2. Optional. To specify an owner for the content store database, in the **Owner** box, type a user or click the ellipsis button to browse for an existing user.
Note You can change the owner setting at any time in the **Files** area of the **Database Properties** dialog box.
3. Click **OK**.

Create the content store on Oracle

The following steps explain how to create the content store database for a Windows operating system.

1. To open the **Oracle Database Configuration Assistant**, click **Start**, point to **Programs > Oracle OraHome > Configuration and Migration Tools**, and then select **Database Configuration Assistant**.
2. In the **Welcome** page, click **Next**.
3. In the **Operations** page, verify that **Create a Database** is selected and click **Next**.
4. In the **Database Templates** page, choose **Custom Database** and click **Next**.
5. In the **Database Identification** page, in the **Global Database Name** box, type **INOWBI** and click **Next**.
6. In the **Management Options** page, accept the defaults and click **Next**.
7. In the **Database Credentials** page, create your passwords based on your company security policy. For example, you can verify that **Use the Same Password for All Accounts** is selected, type a password, confirm it, and then click **Next**.
8. In the **Storage Options** page, accept the defaults and click **Next**.
9. In the **Database File Locations** page, accept the defaults and click **Next**.

10. In the **Recovery Configuration** page, accept the defaults and click **Next**.

Note By default, archiving is not enabled for the INOWBI database. If you want to enhance your backup and recoverability options, we recommend that you enable archiving. When you enable this feature, additional archive log storage and backup management are required.

11. In the **Database Content** page, select the options you want and click **Next**.

Note For Business Insight, you do not need to install Oracle Data Mining, Oracle text, Oracle OLAP, Oracle Spatial, Oracle Ultra Search, or Oracle Warehouse Builder.

12. In the **Initialization Parameters** page, complete the following substeps.

1. On the **Memory** tab, click **Custom** and change the following settings.

Value	Oracle 10g and 11g Dedicated
SGA Size	500MB
PGA Size	Keep default value

2. On the **Character Set** tab, under **Database Character Set**, select **Choose** from the list of character sets and complete one of the following options.

- To set the character set encoding to UTF-8, use **AL32UTF8 – Unicode UTF-8 Universal character set**.
- To set the character set encoding to UTF-16, use **AL32UTF16 – Unicode UTF-16 Universal character set**.

Note We recommend using UTF-8 for non-Unicode languages, such as English and UTF-16 for Unicode languages, such as Japanese.

13. For Oracle 11g, complete the following substeps.

1. In the **Security Settings** page, click **Next**.
2. In the **Automatic Maintenance Tasks** page, click **Next**.

14. In the **Database Storage** page, complete the following substeps.

1. To change the file directory for the control files, under **Storage**, click **Controlfile** and complete the following substeps.
 1. Click the **General** tab.
 2. To ensure that the control files are located across multiple physical disks for multiplexing, change the file directory so there are at least two locations for these files.
2. To add a second member to each Redo Log Group, complete the following substeps.
 1. Under **Redo Log Options**, click a group.
 2. On the **General** tab, under **File Name**, enter a file name for a second member and change the directory so that each member of the group is on a different physical disk.
 3. Repeat these substeps for any additional groups.

3. To create the DATA tablespace, click **Tablespaces** and complete the following substeps.
 1. Click **Create**.
 2. In the **Create Tablespace** page, in **Name**, type DATA.
 3. In the **File Name** box, type data01.dbf, in **File Directory**, keep the default directory or change it as needed, in **Size**, type 250 MB, and then click **Create**.
4. To edit the TEMP tablespace, in the **Tablespaces** page, complete the following substeps.
 1. In the left pane, click **TEMP**.
 2. Double-click **Size** and set the **File Size** to **100 MB**. Click **OK**.

Note Leave the remaining tablespaces as default. Do not delete the **USERS** tablespace.
5. To allow a data file to autoextend, in the **Database Storage** page, click **Datafiles** and complete the following substeps.
 1. As an example, select the **data01.dbf** file.
 2. In the right pane, on the **Storage** tab, select the **Automatically extend datafile when full (AUTOEXTEND)** check box.
 3. In the **Increment** box, type a value to identify the next extent size.

Note To help reduce the number of extents, Enterprise Software recommends that you start with 1 GB. Adjust the increment size as needed.
 4. Under **Maximum Size**, select **Value** and, in the **Value** box, type the maximum size for the datafile. Base the size on how much storage you have available and how big you want the datafile to grow.
 5. Repeat the previous substeps for the data files you want to autoextend.
6. Click **Next**.
7. Click **Finish**. A summary of the database parameters displays.
15. Click **OK** to create the database. This may take some time, depending on your system configuration.
16. When the database is complete, a summary displays with database log and connection information. Click **OK**.

Create a content store user account

If your INOWBI content store and your INOW database exist on separate DBMS computers, or if you use an Oracle DBMS, you must create a new user to administer the content store. Otherwise, you can assign the inuser or reports user as the administrator.

- To create a new user in SQL Server, complete the following steps.
 1. In **SQL Server Management Studio**, in the **Object Explorer** pane, expand **Security**.
 2. Right-click the **Logins** folder and select **New login**.
 3. In the **Login-new** dialog box, in the **General** page, type a new user name, select **SQL Server Authentication** and define a password for the new user.
 4. In the **Default database** list, select **INOWBI**.

5. In the **Server roles** page, select **sysadmin**.
 6. In the **User mapping** page, select the **Map** check box for the **INOWBI** database and, under **Database role membership**, select the public check box.
 7. Click **OK**.
- To create a new user in Oracle, complete the following steps.
 1. Open a web browser and run **Oracle Enterprise Manager** (<http://<machinename>:<port>/em>).
 2. In the **Login** page, log on as **SYS**, type the password you set in the **Database Credentials** page in **Password**, type **SYSDBA** in **Connect as**, and then click **Login**.
 3. Complete the following actions, depending on your Oracle version.
 - For Oracle 10g, in the **Oracle Database 10g Licensing Information** page, click **I agree**. In the **Database Instance** page, on the **Administration** tab, under **Schema**, in **Users and Privileges**, click **Users**. You can proceed to the **Default Tablespace** instruction below.
 - For Oracle 11g, in the **Database Instance** page, on the **Server** tab, under **Security**, select **Users**.
 4. In the **Users** page, click **Create**.
 5. In the **Create User** page, type a new user name, then enter and confirm the user password.
 6. In **Default Tablespace**, click the icon. In the **Select Tablespace** dialog box, select **DATA** and click **Select**.
 7. In **Temporary Tablespace**, click the icon. In the **Select Tablespace** dialog box, select **TEMP** and click **Select**.
 8. Select the **System Privileges** tab and click **Edit List**. In the **Modify System Privileges** page, in **Available System Privileges**, select **SYSDBA** and click > to move it to **Selected System Privileges**. Then, select **SYSOPER** and click > to move it to **Selected System Privileges**, and then click **OK**.
 9. Click the **Roles** tab and click **Edit List**. In the **Modify Roles** page, in **Available Roles**, select **DBA**, click > to move it to **Selected Roles**, and then click **OK**.

Content store database permissions

While we recommend assigning the database owner role to the content store administrative user, it is not required. At a minimum, this user must have the following privileges granted in your DBMS.

DBMS	Active Permissions
SQL Server	<ul style="list-style-type: none"> • Connect to the content store database • Create and execute database tables • Insert, select, update, and delete data in database tables
Oracle	<ul style="list-style-type: none"> • Connect to the content store database • Create, alter, and drop tables, triggers, views, procedures, and sequences • Insert, update, and delete data in the database tables

Verify the INOWBI database user authentication in SQL Server

If you use an SQL Server DBMS, you must verify that the content store uses mixed mode authentication.

1. In **SQL Server Management Studio**, in the **Object Explorer** pane, right-click your server, which is typically the first item in the tree, and then select **Properties**.
2. In the **Server Properties** dialog box, under **Select a page**, click **Security**.
3. Under **Server Authentication**, perform one of the following actions.
 - If **SQL Server and Windows Authentication mode** is selected, click **OK**.
 - If **Windows Only** or **Windows Authentication** is selected, change it to **SQL Server and Windows Authentication mode**, click **OK**, and then click **Yes** to restart the server. If you are not prompted to restart the server after changing the user authentication method, click the **Refresh** button.
4. Click **OK** and exit **SQL Server Management Studio**.

Install Cognos

In the directory where you have uncompressed the Cognos installation files, go through and install the IBM Cognos Server, component services, fix packs, and patches in this order. For more information, see the [IBM Cognos Installation and Configuration Guide](#) found on the IBM website.

Notes

- If installing on the same box as an existing version of Cognos, choose a new Installation Directory.
- When prompted with the **Component Selection** dialog box in the Server installer, keep the default selection that has the Cognos Content Database deselected. You have already set up the Content Store using your production RDBMS.
- If you have already applied the fix packs before installing your component services, like Cognos Mobile, make sure to re-run the fix packs again after installing all services. This will ensure that they are on the same fix pack.

Install Business Insight

Run the Business Insight Installation Wizard

1. In the **Welcome to the Installation Wizard for ImageNow Business Insight** page, click **Next**.
2. In the **License Agreement** page, review the terms of the License Agreement, scroll to the end of the agreement, select the **I accept the terms in the license agreement**, and then click **Next**.
3. In the **Connection Settings** page, complete the following substeps and click **Next**.
 1. In the **Content Store Type** list, select the DBMS associated with the Business Insight reporting database.
 2. Under **Integration Server Settings**, enter the server URL for Integration Server.
 3. Under **Business Insight administrator user name**, enter the user name of the Business Insight owner. This user must already exist within the Perceptive Content Server.

4. In the **Content Store Settings** page, complete one of the following procedures and click **Next**.

- If you are using a Microsoft SQL Server content store without Windows authentication, complete the following substeps.
 1. Under **Content Store Properties**, in the **Database server and port number** box, enter the host name and port number of the computer where the content store reporting database is located. Separate the name and number with a colon.
Note The default port for an SQL Server content store is 1433. For example, **REPORTSERVER:1433**.
 2. In the **Database name** box, verify that the database name matches the name of the content store you created. By default, this name is **INOWBI**.
 3. Under **Content Store Authentication**, enter the user name and password of the content store administrative user you specified and then confirm the password.
- If you are using a Microsoft SQL Server content store with Windows authentication, complete the following substeps.
 1. Under **Content Store Properties**, in the **Database server and port number** box, enter the host name and port number of the computer where the content, store-reporting database is located. Separate the name and number with a colon.
Note The default port for an SQL Server content store is 1433. For example, **REPORTSERVER:1433**.
 2. In the **Database name** box, verify that the database name matches the name of the content store you created. By default, this name is **INOWBI**.
- If you are using a standard Oracle content store, complete the following substeps.
 1. Under **Content Store Properties**, in the **Database server and port number** box, enter the host name and port number of the computer where you are installing Business Insight. Separate the name and number with a colon.
Note Because we require an Oracle runtime client on the Business Insight computer to connect to the computer hosting the Oracle DBMS, you do not need to specify the Oracle server. The default port for an Oracle DBMS is 1521. For example, **LOCALHOST:1521**
 2. In the **Service name** box, verify the name matches the name of the content store you created. By default, this name is **INOWBI**.
 3. Under **Content Store Authentication**, enter the user name and password of the content store administrative user you specified, and then confirm the password.
- If you are using an advanced Oracle content store, complete the following substeps.
 1. Under **Content Store Properties**, in the **Database specifier** box, verify the database connection string.
 2. Under **Content Store Authentication**, enter the user name and password of the content store administrative user you specified, and then confirm the password.

5. In the **E-mail Settings** page, complete the following substeps and click **Next**.
 1. Under **E-mail Notification Settings**, in the **SMTP mail server and port** box, enter the name of the e-mail server you use to send e-mail notifications and the port number the server uses. Separate the name and number with a colon.
Note By default, the port number the e-mail server uses is 25. For example, **mail.server.com:25**
 2. In the **Mail logon ID** box, enter the user name for the user that administers the e-mail server and then enter the password for the user.
 3. In the **Default sender** box, type the e-mail address you use to send notifications.
Note Not all mail servers have an administrator. If your mail server does not have an administrative user, you can leave the Mail Logon ID and passwords fields blank.
6. In the **ImageNow Database Settings** page, complete the following substeps and click **Next**.
 1. Under **Database Server Settings**, enter the name of the server computer running the DBMS that hosts the Perceptive Content database and enter the port Business Insight uses to connect to the Perceptive Content database.
Note By default, SQL Server uses port 1433 and Oracle uses port 1521.
 2. Under **ImageNow Database Properties**, enter the name of the Perceptive Content database and select the DBMS type from the list.
 3. Under **Database User Authentication**, enter the user name and password for a database user who can access the Perceptive Content database.
7. If the **Business Intelligence Folder** page displays, verify the installation folder and click **Next**.
8. In the **Ready to Install the Program** page, click **Install**.
9. In the **Installation Wizard Completed** page, select the **Launch Business Insight Configuration** check box, and then click **Finish**.
Note After the installation is complete, the Business Insight Configuration program launches as well as the file directory containing the Business Insight integration utility files. Leave both windows open.

Install Oracle components

Important These procedures only apply if you use an Oracle DBMS.

Install Oracle Runtime

If you are installing Business Insight on a computer that does not host your Oracle DBMS on the computer where you install Business Insight, you must do the following steps. You only need to install the 32-bit Oracle runtime client application.


1. Unzip the contents of the Oracle runtime client application to a temporary folder on the root drive of the Business Insight computer.
2. Run the **Oracle client application installer**. In the installer, select **Oracle Runtime**.
3. After the installation completes, run the **Net Configuration Assistant**.
4. In **Net Configuration Assistant**, select the **Local Net Service Name** configuration and complete the wizard according to your configuration.

Install Oracle drivers

You must copy the appropriate Oracle JDBC .jar file to the appropriate Cognos folder to establish a database connect and for Cognos to connect to your Oracle Content Store and Data Source.

1. Navigate to the **<Oracle Home>\jdbc\lib** directory.
2. Select the **JAR** files associated with your Java version.
3. On the computer where Business Insight is installed, navigate to the **<drive>:\Program Files\ibm\cognos\c10\webapps\p2pd\WEB-INF\lib** directory.
4. Copy the selected JAR files and restart the Business Insight service.

Start the IBM Cognos service

1. Verify all information in the IBM Cognos Configuration is correct.
2. In **IBM Cognos Configuration**, click the **Start**  button.
3. If you receive the message “The configuration settings have changed. Do you want to save the changes?”, click **Yes**.

The program verifies the system connections and settings, builds the reporting database, and then starts the Business Insight service. Because the program builds the reporting database the first time you start the service, this process may take a few minutes to complete.

4. After the service is started, click **Close**.

Note If you encounter any errors during this step, see the [Troubleshooting Business Insight installation](#) section of this guide.

Configure the Perceptive Content connection

To configure Business Insight for initial use, you must modify some settings in the [inserver.ini](#) file and run an INTool command on the Perceptive Content Server computer to prepare the Perceptive Content database for reporting.

Note If Business Insight is installed on the same computer as the Perceptive Content Server, the values for the inserver.ini settings and the database enumerations are passed from the Business Insight Installer and these steps are not required. If it is installed on a different computer, you must configure these settings on the Perceptive Content Server computer.

Configure the inserver.ini

The following steps explain how to configure the inserver.ini file for Business Insight.

1. On the Perceptive Content Server computer, navigate to **[drive]:\inserver\etc** and open the **inserver.ini** file with a text editor.
2. Under **[Business Insight]**, modify the following settings.
 - In the **business.insight.authnamespace** setting, enter ImageNow.
 - In the **business.insight.url** setting, enter the following URL, where *[host name]* represents the server where the Cognos Gateway is installed.

```
http://[host name]/ibmcognos
```

Important If your environment requires you to secure Business Insight with an SSL certificate, see [Appendix D](#) of this document for configuration instructions.
 - In the **business.insight.dispatcher** setting, enter the dispatcher address.

```
http://[host name]/p2pd/servlet/dispatch
```
 - In the **business.insight.max.output.default** setting, enter the number of saved report output versions you want to retain at one time. This default can be changed for a report or report folder.
3. Save and close the **inserver.ini** file.

Prepare your Perceptive Content database

The following steps explain how to run the commands that are required for the Perceptive Content database to run reports.

1. On the Perceptive Content Server computer, access a **Command Prompt** window.
2. In the **Command Prompt** window, perform one of the following actions.
 - In Windows, change to the **[drive]:\inserver\bin64** directory.
 - In UNIX, change to the **\$IMAGENOWDIR/bin** directory.
3. Complete the following substeps.
 1. To create the database enumeration values needed for reporting, at the prompt, enter the following command.

```
intool --cmd populate-enumerations
```
 2. To create the calendar values needed for reporting, at the prompt, enter the following command.

```
intool --cmd populate-calendar
```

Configure Internet Information Services (IIS)

After you install Business Insight, you must create the appropriate virtual directories in your IIS web server and enable WebDAV. Business Insight supports versions 6.x through 8.x of Internet Information Services (IIS).

Important To authenticate with Cognos, it is recommended that you secure IIS with a SSL certificate. For instructions on how to accomplish this, see [Appendix D](#) of this document.

Configure sites in IIS 7.x and 8.x

The following steps explain how to configure the CGI gateway and enable images in Business Insight with Internet Information Services (IIS) versions 7.x to 8.x.

Note If you are installing Business Insight on Windows Server 2008, you must enable the CGI role service before you can configure the reporting sites in IIS.

Configure the CGI Gateway

To configure a host website for reports using the CGI gateway, complete the following steps.

1. In the **Microsoft Windows Control Panel**, click **Programs > Programs and Features**.

Note If you are using Microsoft Windows 8 or 2012 Server, Programs and Features is available directly from the **Control Panel**.

2. Click **Turn Windows features on or off**.
3. Complete the following procedure that applies to your version of Microsoft Windows.

Windows Version	Steps
Microsoft Windows 2008 Server	<ol style="list-style-type: none"> 1. Click Server Manager > Roles > Web Server (IIS). 2. Under Common HTTP Features, in the Role Services section, ensure that WebDAV Publishing is enabled. Note If WebDAV Publishing does not appear as an option under Role Services, download the WebDAV installation package from www.IIS.net and restart the server. 3. In the Role Services section, if CGI is set to Not installed, select CGI and click Add Role Service. 4. In Server Manager, click Roles > Web Server (IIS) > Internet Information Services (IIS) Manager.

Windows Version	Steps
Microsoft Windows 2012 Server	<ol style="list-style-type: none"> 1. In the Add Roles and Features Wizard, click Next. 2. In the Installation Type page, select Role-based or feature-based installation and click Next. 3. In the Server Selection page, select your server from the Server Pool list and click Next. 4. In the Server Roles page, select Web Server (IIS). 5. In the resulting dialog box, verify that the Include management tools (if applicable) check box is selected and click Add Features. 6. Click Next until you get to the Role Services page of the wizard. 7. Select WebDAV Publishing if it is not already selected. Note If WebDAV Publishing does not appear as an option under Role Services, download the WebDAV installation package from www.IIS.net and restart the server. 8. Expand Application Development. 9. Select CGI if it is not already selected, and click Next. 10. In the Confirmation page, click Install. 11. Close the Add Roles and Features Wizard after completing the installation. 12. In Server Manager, in the left pane, select IIS. 13. Under Servers, right-click your server name and click Internet Information Services (IIS) Manager.
Microsoft Windows 7 or 8	<ol style="list-style-type: none"> 1. Select Internet Information Services, if it is not already selected. 2. Select Internet Information Services > World Wide Web Services. 3. Under Common HTTP Features, ensure that WebDAV is enabled. Note If WebDAV Publishing does not appear as an option under Role Services, download the WebDAV installation package from www.IIS.net and restart the server. 4. Expand Application Development Features and select CGI. 5. Click OK. 6. In the Control Panel, click Administrative Tools. 7. Double-click Internet Information Services (IIS) Manager.

4. In the **Internet Information Services (IIS) Manager** console window, under **Connections**, double-click your server name.
5. Double-click **ISAPI and CGI Restrictions**.
6. Under **Actions**, click **Add**.
7. Enter the path to the **cognos.cgi** file. The file is stored in the following directory.

Note Enter the full path, including the file name. If the path includes spaces, ensure you use quotation marks around the path. For example, enter the following text.

```
C:\Program Files (x86)\ibm\cognos\c10\cgi-bin\cognos.cgi
```

8. Enter a description in the **Description** field, such as `CognosCGI`.
9. Select **Allow extension path to execute** and click **OK**.
10. In the **Connections** pane, expand **Sites**, right-click **Default Web Site**, and click **Add Virtual Directory**.
11. In the **Add Virtual Directory** dialog box, add a directory with the name **ibmcognos** as its alias at the following directory.

```
C:\Program Files (x86)\ibm\cognos\c10\webcontent
```

12. In the **Connections** pane, right-click the **ibmcognos** directory you created and click **Add Virtual Directory**.
13. In the **Add Virtual Directory** dialog box, add a directory with the name **cgi-bin** as its alias at the following directory.

```
C:\Program Files (x86)\ibm\cognos\c10\cgi-bin
```

14. Select the **cgi-bin** virtual directory that you created.
15. In the right pane, double-click **Handler Mappings**.
16. Under **Actions**, click **Add Module Mapping** and complete the following substeps.
 1. In the **Request Path** field, type `cognos.cgi`.
 2. In **Module**, select **CgiModule**.
 3. Leave **Executable (optional)** blank.
 4. Enter a name for the entry in the **Name** field, such as `CognosCGI`.
 5. Click **OK**.

17. Restart IIS services.

Result Users can access your CGI gateway by entering `http://{server Name}/ibmcognos` in a web browser.

Configure WebDAV to enable report images

To enable images in your reports using WebDAV, complete the following steps.

1. Complete the following procedure that applies to your version of Microsoft Windows.

Windows Version	Steps
Microsoft Windows 2008 Server	<ol style="list-style-type: none"> 1. In Server Manager, click Server Manager > Roles > Web Server (IIS). 2. Click Internet Information Services (IIS) Manager.
Microsoft Windows 2012 Server	<ul style="list-style-type: none"> • In Server Manager, click Roles > Web Server (IIS) > Internet Information Services (IIS) Manager.
Microsoft Windows 7 or 8	<ol style="list-style-type: none"> 1. In the Control Panel, click Administrative Tools. 2. Double-click Internet Information Services (IIS) Manager.

2. In the **Internet Information Services (IIS) Manager** console window, under **Connections**, double-click your server name.
3. In the **Connections** pane, expand your web server, expand **Sites**, and select **Default Web Site**.
4. In the right pane, double-click **WebDAV Authoring**.
5. Click **Enable WebDAV**.
6. Click **WebDAV Settings**.
7. Under **Allow Anonymous Property Queries**, select **True** and click **Apply**.
8. In the left pane, select **Default Web Site > ibmcognos > Samples > Images**.
9. In the right pane, double-click **WebDAV Authoring**.
10. Click **Add Authoring Rule**.
11. In the **Add Authoring Rule** dialog box, select the following settings: **All Content**, **All Users**, and **Read**.
12. Click **OK**.
13. Restart IIS services.

Configure sites in IIS 6.x

The following steps explain how to configure the CGI gateway for Internet Information Services (IIS) version 6.x.

1. In **Internet Information Services (IIS) Manager**, select the computer name where you installed Business Insight.
2. To create the web content virtual directory, complete the following substeps.
 1. In the left pane, expand **Web Sites**, right-click **Default WebSite**, point to **New**, and then select **Virtual Directory**.
 2. In the **Virtual Directory Creation Wizard**, click **Next** and type `ibmcognos` in the **Alias** box.
 3. In the **Path** box, select the following directory and click **Next**.


```
[drive]:\Program Files\ibm\cognos\c10\webcontent
```
 4. Under **Allow the following permissions**, assign access permissions for **Read** and clear all other check boxes.
 5. Click **Next** and then click **Finish**.
3. Create the CGI virtual directory using the following substeps.
 1. In the left pane, right-click the **ibmcognos** virtual directory you created in the previous step, point to **New**, and then select **Virtual Directory**.
 2. In the **Virtual Directory Creation Wizard**, click **Next** and type `cgi-bin` in the **Alias** box.
 3. In the **Path** box, select the following directory and click **Next**.


```
[drive]:\Program Files\ibm\cognos\c10\cgi-bin
```
 4. Under **Allow the following permissions**, assign access permissions for **Execute** and clear all other check boxes.
 5. Click **Next** and then click **Finish**.
4. To enable CGI, complete the following substeps.
 1. Right-click **Web Services Extensions** and select **Add new Web service extension**.
 2. In the **New Web Service Extension** dialog box, in the **Extension** name box, type a descriptive name such as `Cognos10 CGI`.
 3. Under **Required files**, click the **Add** button.
 4. In the **Add file** dialog box, click the **Browse** button, navigate to the following file, and then click **OK**.


```
[drive]:\Program Files\ibm\cognos\c10\cgi-bin\cognos.cgi
```
 5. Select the **Set extension status to Allowed** check box and click **OK**.
5. To enable web images, complete the following substeps.
 1. Right-click **Web Service Extensions** and select **Allow all Web service extensions for a specific application**.
 2. In the **Allow all Web service extensions for a specific application** dialog box, in the **Application** list, select **WebDAV** and click **OK**.

3. In **Internet Information Services (IIS) Manager**, in the left pane, expand **Web Sites** and expand **Default Web Site**.
4. In the **ibmcognos** folder, right-click the **Samples** folder and select **Properties**.
5. In the **Samples Properties** dialog box, on the **Directory** tab, select the **Directory browsing** check box.
6. Click **Apply** and click **OK**.
6. Restart IIS.
7. Verify that the default website is running.
8. On the computer where BI is installed, add the default Business Insight websites to the list of **Trusted Sites** in Internet Explorer.

Install Perceptive Content Client integration

To view Business Insight reports in your Perceptive Content Client, you must update your Perceptive Content Client installation for each client computer that will use Business Insight reports.

Important You only need to perform this step if you did not install Business Insight Integration as part of your Perceptive Content Client installation.

1. On the **Start** menu, access the **Control Panel** and click **Add and Remove Programs**.
Note If you use a Windows Vista or Windows Server 2008 operating system, this option is **Programs and Features**.
2. In the **Add and Remove Programs** dialog box, select **Perceptive Content Desktop Client** and click **Change**.
3. In the **Welcome to the Installation Wizard for Perceptive Content Desktop Client** page, click **Next**.
4. In the **Program Maintenance** page, select **Modify** and click **Next**.
5. In the **Custom Setup**, click the down arrow for **Business Insight Integration** and select **This feature will be installed on the local hard drive**.
6. Click **Next**.
7. In the **Ready to Modify the Program** page, click **Install**.
8. In the **InstallShield Completed** page, click **Finish**.

Obtain the license files

To obtain the hardware information for the Perceptive Content Server, you must be the admin user on Windows.

1. Generate a system fingerprint using the following substeps.
 1. Click **Start**, point to **All Programs > ImageNow**, and then click **ImageNow Management Console**.
 2. In the **Login** page, click **License Manager**.
 3. In the **License Management** dialog box, select **Save system fingerprint** and click **OK**.
 4. In the **Save As** dialog box, enter a name for the file and then navigate to the location where you want to save the report. Click **Save**.
2. Contact your Enterprise Software representative for instructions on where to send the system fingerprint file to obtain your license. The system fingerprint file has a SYSFP extension.
3. When you receive the license files, store the license files in a temporary directory on the Perceptive Content Server computer.

License Business Insight

The following steps explain how to install the Business Insight license and author licenses.

Install Perceptive Content product licenses

Before entering your licenses, you must have installed the Perceptive Content Server and at least one Perceptive Content Client. You must have Service Administrator privileges to install Perceptive Content licenses. The Perceptive Content Client must be available on a Windows machine in order to install the Perceptive Content product licenses.

1. When you receive the license files from your Enterprise Software representative, copy them to a temporary folder where you can access them with a Perceptive Content Client.
2. To upload licenses, complete the following substeps.
 1. Click **Start**, point to **All Programs > ImageNow**.
 2. In the login page, click **License Manager**.
 3. In the **License Management** dialog box, select **Upload Licenses** and click **OK**.
 4. Navigate to the folder where you stored the Perceptive Content license files, select the LIC files to upload, and click **Open**.
 5. Enter the **User Name**, **Password**, and **Server Location** and click **OK**.
 6. Optional. The **License Upload** dialog box lets you view the type name, actual license code, and status of each license upload. To display detailed information for a specific license, select the appropriate row.
3. Click **OK**.

Run the Business Insight integration utility

The Business Insight integration utility performs the necessary actions to securely authenticate your Business Insight system and specify a user who can perform administrative actions for Business Insight in Perceptive Content.

Define the archive import

1. Access the **Blintegrator** folder that opened automatically after installation.
Note If this folder does not appear, navigate to the **[drive]:\Program Files\ibm\cognos\c10\bin\utilities\biintegrator** directory.
2. Open the **biintegrator.properties** file with a text editor, such as Notepad.
3. To change the report archive file the integration utility installs, complete the following substeps.
 1. Copy the report archive file to the **[drive]:\Program Files\cognos\c10\deployment** directory.
 2. In the properties file, in the **ARCHIVE** setting, enter the name of the file.**Note** By default, this setting specifies the report archive file for the Perceptive Content Report Library, which is installed in the file directory.
4. To skip the integration step that includes installing the Perceptive Content Report Library or the specified report archive file, in the properties file, set the **ARCHIVE.IMPORT.SKIP** value to 1.
5. Save and close the file.

Run the integrator

1. Access the **Blintegrator** folder that opened automatically after installation.
Note If this folder does not appear, navigate to the **[drive]:\Program Files\ibm\cognos\c10\bin\utilities\biintegrator** directory.
2. Double-click the **run.bat** file for the Business Insight integration utility.
3. Verify that the utility completes successfully. If the data source connection or archive import process fails, see the [Troubleshooting Business Insight installation](#) section in this document.
4. When prompted, press any key to close the utility.
Note This utility creates the connection to the Perceptive Content database you specified during installation. If you want to create connections to additional Perceptive Content databases, use the procedure in [Appendix A](#) of this document.

Connect to Perceptive Content

For your consumers to access reports within the Client, you must configure report privileges. This is done directly in Cognos. For the Reports button to be available in the Perceptive Content clients, you must also have the Reports View privilege.

Note A Perceptive Manager can grant the Reports View privilege without requiring the Manage Reports privilege. The Manage Reports privilege has changed and will no longer implicitly grant you Run and View privileges in Cognos.

Business Insight privileges

You maintain most Business Insight privileges directly through IBM Cognos, starting with Perceptive Business Insight version 7.1.x. However, you must assign some privileges in Management Console to allow users access to view, author, and schedule reports.

BI Owner

The BI Owner role provides the user the necessary privileges to manage or administrate and author under one role assignment. However, to access the Reports button on the Perceptive Content toolbars, another manager-level user must assign the BI Owner the Global > Reports > View and the Reports > View privileges in Management Console. Note that you must install Business Insight for these privileges to appear.

Reassign BI Owner privilege

You select the BI Owner during the Business Insight installation process. There can only be one BI Owner in the system, but you can switch the BI Owner credentials to another user at any time. To change the BI Owner role to a different user account, complete the following steps.

1. On the system where you installed **Business Insight**, in the **Program Files > ibm > Cognos > c10 > configuration** folder, open the `INAAuth_Config_ImageNow.properties` file in Notepad.
2. In the properties file, following the text `biowner=`, replace the user name of the current BI Owner with a valid **Perceptive Content** user name.
3. Click **File > Save**.
4. Run the BIIntegrator.
5. To change the BI Owner immediately, restart the Cognos service.

Note The Perceptive Content Custom Authenticator stores the BI Owner user in a time-based cache. It may take up to thirty minutes before the new role assignment is in effect, but restarting the Cognos service changes the BI Owner immediately.

View User

To view reports, you must grant the user the Read, Execute, and Traverse permissions to the report folder or report in Cognos. Refer to the IBM website for Cognos capabilities and permissions documentation. To view reports in Perceptive Content Client, the user must also have the Reports > View privilege in Management Console.

Author User

To create and modify customized Business Insight reports, the user must be a member of the Cognos Author role. To view reports in Perceptive Content Client, the user must also have the Reports > View privilege in Management Console.

Scheduling

To schedule Business Insight reports, the user must have the Write permission to a report folder or report in Cognos.

Troubleshooting Business Insight installation

This section outlines procedures for correcting errors encountered during installation of Business Insight.


Issues starting the Business Insight service

If you encounter an issue while starting the Business Insight service in the Business Insight Configuration program, you can use this section to resolve the issues.

When starting the service, the content manager connection is not successful

The settings in this pane default from the settings entered in the Business Insight installation wizard. You can use this pane to change these settings as necessary.

1. Click **Start**, point to **All Programs > IBM Cognos 10 > IBM Cognos Configuration**.
2. In the **Explorer** pane, under **Content Manager** select the content store. By default, this name is **INOWBI**.
3. Verify that the type of database you use for the Business Insight content store displays in the **Value** column for the **Type** setting.
4. To change the database server name or port, in the **Value** column of the **Database server with port number or instance name** setting,

Note If you installed Business Insight using **localhost** as the database server name in your content store settings, you must change the server name from **localhost** to the server name. For example, **smithj:389** or **smithjadministrator**.
5. To change the logon information for the content store database, in the **Value** column of the **User ID and password** setting, click the **Edit**  button and then, in the **Value – User ID and password** dialog box, enter the logon information for the user that administers the content store and click **OK**.
6. To change the name of the content store, in the **Value** column of the **Database name** setting, type the name.
7. To configure the content store connection, in the **Explorer** pane, under **Content Manager**, right-click **INOWBI** and click **Test**.

When starting the service, Tomcat returns an error

If you are installing Business Insight on a computer with an active firewall, you must add a rule to your firewall settings.


1. On the computer where you are installing Business Insight, on the **Start** menu, point to **Administrative Tools > Windows Firewall with Advanced Security**.
2. In the left pane, under **Windows Firewall with Advanced Security**, select **Inbound Rules**.
3. In the **Actions** pane, under **Inbound Rules**, select **New Rule**.
4. In the **New Inbound Rule Wizard** dialog box, complete the following substeps.
 1. In the **Rule Type** page, select **Port** and click **Next**.
 2. In the **Protocol and Ports** page, select **TCP** and **Specific local ports**.

5. In the **Specific local ports** dialog box, type 9300, 9362, 9399 and click **Next**.
 1. In the **Action** page, select **Allow the connection** and click **Next**.
 2. In the **Profile** page, select the **Domain**, **Private**, and **Public** check boxes and click **Next**.
 3. In the **Name** page, in the **Name** box, type `Business Insight` and add an optional description.
 4. Click **Finish**.
6. In the **Inbound Rules** pane, verify the **Business Insight** rule is enabled.

Note By default, Business Insight uses port 9300 to communicate with the web application server to host report content and port 9362 to communicate with the local log server.

When starting the service, the notification server connection is not successful

The settings in this pane default from the settings entered in the Business Insight installation wizard. You can use this pane to change these settings as necessary.

1. On the **Start** menu, point to **All Programs > ImageNow > Business Insight Configuration**.
2. In the **Explorer** pane, under **Data Access**, select **Notification**.
3. In the **Notification – Component Properties** pane, change any of the following settings.
 - To change the name and port of the mail server used to send notifications, type it in the **Value** column for the SMTP mail server setting.
 - To change the logon for the mail server, in the **Value** column of the **Account and password** setting, click the **Edit**  button and then, in the **Value – Account and password** dialog box, enter the logon information and click **OK**.
 - To change the e-mail address used to send notifications, type it in the **Value** column of the **Default sender** setting.
4. To test the mail server, in the **Explorer** pane, under **Data Access**, right-click **Notification** and then click **Test**.

When starting the service, the JVM does not launch

If the Business Insight service does not start because the step “Launching a JVM using ‘Maximum memory in MB’” fails, complete the following procedure.

1. On the **Start** menu, point to **All Programs > ImageNow > Business Insight Configuration**.
2. In the **Explorer** pane, under **Local Configuration**, expand **IBM Cognos 10 Service** and select **IBM Cognos 10**.
3. In the **IBM Cognos 10 – Configuration – Resource Properties** page, set the **Maximum memory in MB** property to **768**.
4. Click **Save** and start the service.

When starting the service, a service registration error displays

If the Business Insight service does not start because it cannot register the service and the error “A service with the same name, 'Cognos 10', is already registered” displays, complete the following procedure.

1. Access a **Command Prompt** window, type the following command, and then press Enter.

```
sc delete "IBM Cognos 10"
```

2. After the service deletes successfully, in **Business Insight Configuration**, click the **Start** button.

Issues running the BI Integrator

If the Business Insight integration utility fails to create the INOW data source or deploy the report package library archive, you must take the appropriate corrective action using one of the following procedures.

Note To simplify troubleshooting issues with the BI integration utility, verify you can access the configuration.dir file in the [drive]:\Program Files\cognos\c10 directory.

When connecting to the INOW database, the data source connection is not successful

If the data source test connection and creation step fails, complete the following procedure.

1. Verify that the Perceptive Content server service is started.
2. Navigate to the **BIintegrator** folder and open the **biintegrator.properties** file in a text editor.
Note This folder is located in the [drive]:\Program Files\cognos\c10\bin\utilities directory.
3. Verify the following settings are configured correctly.

Setting	Value
IN_DB	The name of the Perceptive Content database against which you want to report.
IN_DB.DBMS	The database type for the Perceptive Content database. Valid values are SQL and ORA.
IN_DB.SERVER	The name of the server that hosts the DBMS with the Perceptive Content database.
IN_DB.USERNAME	The user name of a user in the Perceptive Content database with access privileges.
IN_DB.PASSWORD	The password of the database user.
IN.DB.PORT	The port number Business Insight uses to connect to the Perceptive Content database. By default, this port is 1433 for SQL Server and 1521 for Oracle.
CM_SERVER	The name of the computer where you installed Business Insight.
CM_PORT	The port Business Insight uses to connect to the DBMS server computer. By default, this value is 9300.
ARCHIVE	The name of the report archive file to import from the deployment directory.

Setting	Value
ARCHIVE.IMPORT.SKIP	Whether to skip the archive import process when running the integrator. By default, this value is 0 and the archive import is not skipped.

4. Save and close the file.
5. If you are connecting to an Oracle DBMS, verify the following information.
 1. On the computer where you are installing Business Insight, verify that the Oracle client application is installed.
 2. Run the Oracle **Net Configuration Assistant** to set up the IP address and service name for the Perceptive Content database in the **tnsnames.ora** file.
6. Run the Business Insight integration utility again.

When connecting to the INOW database, you receive an unspecified error

If the data source creation fails, you may receive a generic error message. To determine the specific error that occurred, attempt to create the data source connection manually from the Cognos Administration portal. This procedure results in a more specific error message, which you can use to troubleshoot your particular issue. For instructions on troubleshooting a specific error, view the Cognos support documentation.

To create an IBM Cognos Data Source Connection manually, complete the following steps in the IBM Cognos Administration portal.

1. On the **Configuration** tab, under **Data Source Connections**, click the **New Data Source** button.
2. In the **Name** field, type **INOW** and click **Next**.
3. Under **Type**, select either **Microsoft SQL Server (OLE DB)** or **Oracle** from the list, depending on your environment.
4. Under **Isolation Level**, select **Specify a value** and select **Read uncommitted** from the drop-down list.
5. Make sure **Configure JDBC connection** is not selected and click **Next**.
6. Complete the following step that applies to your environment.
 - **SQL.** In the **Specify the Microsoft SQL Server (OLE DB) connection string – New Data Source Wizard** page, under **Server name**, type the name of your database server. The server name displays in the following format: server name, port number. For example, MLBBI2012,1433
 - **Oracle.** In the **Specify the Oracle connection string – New Data Source Wizard** page, under **SQL*Net connect string**, type your SQL Net connection identifier, found in the **tnsnames.ora** file on your local system.
7. Under **Signon**, select **Signons**, **Password**, and **Create a signon that every group can use**, and then type your database connection user information.

Note The default user name is **inuser**.
8. Under **Testing**, click **Test the connection**.
9. In the **Test the connection** page, click **Test**.

10. In the results table, under **Message**, note the displayed error message if the test failed.

Note If the connection resulted in an error, search the official Cognos support documentation to resolve your issue or contact your local IT resource.

11. If the test succeeded, return to the previous screen of the wizard and click **Next**.

12. If you use an Oracle environment, complete the following additional substeps.

1. In the **Set the commands – Open session commands** page, select the **Open session commands** check box and select the **Set** option.
2. In the **Set the commands** screen, copy the contents from the **OracleOpenSession.txt** file, located in `ibm\cognos\c10\bin\utilities\biintegrator`, and paste them in the **XML database commands** field.

13. Click **Finish**.

When the issue is resolved, you can run the integrator again. The integration process verifies the data source connection, and if the test is successful, it continues the configuration.

When deploying the report package, the archive import process is not successful

If the Business Insight integration utility does not successfully import the report package archive, perform the following procedure.

If a message displays in the archive import step, complete the following steps.

Perform these steps if you receive the message or “<Archive Name>.zip was not found in the deployment directory. Modify the properties file to specify a different archive.”


1. Verify the report archive file you want to import is stored in the `[drive]:\Program Files\cognos\c10\deployment` directory.
2. Access the **Biintegrator** folder that opened automatically after installation.
Note If this folder does not appear, navigate to the `[drive]:\Program Files\cognos\c10\bin\utilities\biintegrator` directory.
3. Open the **biintegrator.properties** file with a text editor, such as Notepad.
4. In the properties file, in the **ARCHIVE** setting, enter the name of the file.
5. Verify the **ARCHIVE.IMPORT.SKIP** setting value is set to **0**.
6. Run the integration utility again. For more information, see [Run the Business Insight integration utility](#).

If the archive import failed and you need to import the report library manually, complete the following steps.

1. Open an Internet Explorer window and, in the **Address** bar, type the Business Insight URL configured in **inserver.ini**.

```
http://[host name]/ibmcognos
```

2. Log in as the Perceptive Content user you want to specify as the Business Insight administrator.

3. In the Business Insight administrative web interface, complete the following substeps.
 1. In the welcome page, click **Administer IBM Cognos Content**.
 2. On the **Configuration** tab, in the left pane, click **Content Administration**.
 3. On the toolbar, click the **New Import**  button.
 4. In the **Deployment Archive** page, select the package and click **Next**.
 5. In the wizard, verify or change the name, add an optional description and screen tip, and then click **Next**.
 6. In the folder content page, under **Public folders content**, select the check box in the gray title bar to select all the report folders in the list, and then click **Next** until you reach the **Action** page.
 7. In the **Action** page, click **Save and run once** and click **Finish**.
 8. Under **Time**, select **Now** and click **Run**.
 9. In the confirmation prompt, click **OK**.
4. Run the integration utility again. For more information, see [Run the Business Insight integration utility](#).

Issues logging into Business Insight

If you encounter any of the following issues while trying to connect to Business Insight, take the appropriate corrective action.

When accessing Business Insight, an authorization message displays

If your application pool identity uses a local policy, Business Insight connects to the default web site automatically. If, for security reasons, your application pool identity uses network service, the message “You do not have authorization to access this page” displays when you access Business Insight. To connect to Business Insight, complete the following steps.

1. From the **Control Panel**, click **Administrative Tools** and select **Local Security Policy**.
2. In the **Local Security Settings** dialog box, in the left pane, select **Local Policies**.
3. In the right pane, double-click **User Rights Assignment** and right-click **Adjust Memory Quotas for a Process** and select **Properties**.
4. In the **Adjust Memory Quotas for a Process Properties** dialog box, click **Add Users or Group** and add **Network Service**.
5. Restart IIS.

BI Administrator cannot access Business Insight reports


During the Cognos installation, you promote a Perceptive Content user to the BI Administrator role. Although the BI Administrator has unrestricted capabilities in Cognos, the BI Administrator does not automatically have access to Business Insight functionality in Management Console or the Client if the user does not have the Report View privilege.

Appendix A: Report on multiple databases

Using Perceptive Content Business Insight, you can change your configuration to report on a database other than INOW. To do so, you must create an additional data source for each database you want to use for reporting.


Important Because Business Insight is designed to report using the data in the INOW database, you must change the name of the data source you want to report against to INOW and change the INOW data source name to something else. You can have any number of data sources configured in Business Insight, but only one data source can be named INOW at any given time.


Create additional data sources

1. In the Business Insight administrative web interface, on the **Launch** menu, select **IBM Cognos Administration**.
2. Click the **Configuration** tab.
3. In the left pane, select **Data Source Connections** and click the **New Data Source**  button.
4. In the **Specify a name and description** page, complete the following substeps.
 1. In the **Name** box, assign a name other than INOW and add an optional description.

Note We recommend using the name of the database this data source references in both the **Name** and **Description** boxes.
 2. Click **Next**.
5. Create the data source according to the database type.

Specify the reporting database

1. In IBM Cognos Administration, on the **Configuration** tab, in the left pane, click **Data Source Connections**.
2. In the right pane, for the current **INOW** data source, click the **Set Properties**  button.
3. In the **Set properties – INOW** page, change the entry in **Name** box to something other than INOW.

Note If you want to report on an INOW database on another server, we recommend indicating the server name in the **Name** or **Description** box or both. For example, INOW_SMITHA.
4. Click **OK**.
5. For the data source you want to run reports against, click the **Set Properties**  button.
6. In the **Set properties** page, change the entry in the **Name** box to **INOW**.
7. Click **OK**.

Appendix B: Uninstall Business Insight

Warning If, at any time, you choose to uninstall Business Insight, you remove all report data as well as the Business Insight applications, such as Query Studio and Report Studio. Enterprise Software is not responsible for any data you remove in this manner.

Stop the Business Insight website

1. To open Internet Information Services (IIS), complete the following substeps.
 1. Right-click **My Computer** and select **Manage**.
 2. In **Computer Management**, in the left pane, double-click **Internet Information Services (IIS)**.
2. In the **Internet Information Services** window, in the left pane, expand the computer name and the **Web Sites** folder.
3. Select **Default Web Site** and click the **Stop Item** button.
4. Expand **Default Web Site** and delete the **Business Insight** web directory. By default, the name of this directory is **ibmcognos**.
5. Exit IIS.
6. Stop the IIS Admin service.

Run the uninstall wizard for Business Insight

1. Access the **Control Panel** and select **Add and Remove Programs**.
2. In **Add or Remove Programs**, select **ImageNow Business Insight** and click **Remove**.
3. In the confirmation prompt, click **Yes**.
4. Follow the on-screen prompts to complete the removal process and then click **Finish**.

Run the uninstall wizard for IBM Cognos

1. Click **Start**, point to **All Programs > IBM Cognos 10 > Uninstall IBM Cognos**.
2. Follow the on-screen prompts to complete the removal process and then click **Finish**.

Remove the content store

- On the computer that hosts your DBMS, delete the reporting database. By default, the name of this database is **INOWBI**.

Appendix C: Server and client configuration tables

This section outlines settings you configure in INI files associated with Perceptive Content Business Insight installation setup. They are listed in alphabetical order for quick reference.

inserver.ini

The following table provides definitions and sample data for the settings in the inserver.ini configuration file. This table displays the INI settings under group headings in brackets, for example, [General], in the order the groups appear in the INI file. Each setting offers two or more options, which are defined in the table below along with a description of each setting and its options. Use this table as a guide when customizing the file.

Group	Setting	Options	Description
Business Insight	business.insight.url	Valid URL for Business Insight	Stores the URL, including the server and port, of the Business Insight reporting website set up in your web application server. The default value is <code>http://[host name]/ibmcognos</code> . If you use an SSL certificate, this value is <code>https://[host name]/ibmcognos</code>
	business.insight.dispatcher	Valid URL for Cognos dispatcher address.	Stores the URL of the Cognos web service required for the Client to make administrative calls to the Cognos server. The default dispatcher port number is 9300. To verify your current dispatcher address, look in Cognos Configuration.
	business.insight.authnamespace	Valid namespace	Stores the authentication namespace used to connect to Business Insight. By default, this value is <code>ImageNow</code> .
	business.insight.max.output.default	Any positive integer	This setting stores the default number of prior versions of report output that displays when you set the value in Perceptive Content Management Console. The default value is 5.

Note If Business Insight is installed on the same computer as the Perceptive Content Server, the Business Insight installer creates the values for these settings automatically.

Appendix D: Configure an SSL certificate

If your environment requires you to secure your Business Insight default website with an SSL certificate, use the following procedure to enable the secure socket layer. You should complete this procedure when you configure your Business Insight default website.

If you purchased an SSL certificate, you can alternatively import this certificate in IIS, versions 6.x or 7.x instead of creating a self-signed certificate. To complete this procedure, contact your system administrator.

Add a self-signed certificate in IIS 7

1. In **Internet Information Services (IIS)**, in the **Connections** pane, select the computer name where you installed Business Insight.
2. In the **Features View**, under **IIS**, double-click **Server Certificates**.
3. In the **Actions** pane, select **Create Self-Signed Certificate**.
4. In the **Create Self-Signed Certificate** dialog box, enter a name for the certificate and click **OK**.
5. In the **Connections** pane, select **Default Web Site** and then, in the **Actions** pane, select **Bindings**.
6. In the **Site Bindings** dialog box, click **Add**.
7. In the **Add Site Binding** dialog box, complete the following substeps.
 1. In the **Type** list, select **https**.
 2. In the **SSL certificate** list, select the name of the certificate you created in the previous steps.
 3. Click **OK**.
8. In the **Site Bindings** dialog box, click **Close**.
9. In the **Actions** pane, select **Browse *:[port number] (https)**, where *[port number]* is a placeholder for the port number specified in the site binding definition. By default, this value is 443.

Note If you change the port number from its default value, you must add the port number to the **business.insight.url** setting in the **inserver.ini** file.
10. In the **Internet Explorer** window that displays, select **Continue to this website**.
11. In **Internet Information Services (IIS)**, in the **Features View**, select **SSL Settings**.
12. Under **SSL Settings**, select the **Require SSL** check box and then, in the **Actions** pane, click **Apply**.
13. Restart IIS.

Configure Perceptive Content Server for SSL

1. On the Perceptive Content Server computer, navigate to **[drive]:/inserver/etc** and open the **inserver.ini** file with a text editor, such as Notepad.
2. Under **[Business Insight]**, in the **business.insight.url** setting, change the value to **https://[host name]/ibmcognos**, where **[host name]** is a placeholder for the computer where Business Insight is installed.

Note If your Business Insight site binding definition uses a port other than 443, you must append the port number to this address. For example: **https://[host name]:1234/cognos10**

3. Save and close the **inserver.ini** file.
4. Restart the Perceptive Content Server service.

Appendix E: IBM Cognos 10.2.2 Upgrade

When using Business Insight 7.x and upgrading from IBM Cognos version 10.2.1 to 10.2.2, you can either install Cognos 10.2.2 on a separate server to compare the upgrade to the server running 10.2.1, or fully uninstall Cognos 10.2.1 and install version 10.2.2. To ensure a smooth integration between Business Insight and Cognos after the upgrade, complete one of the following installation options.

Install Cognos 10.2.2 on a separate server

To install Cognos 10.2.2 on a separate server, complete the following steps.

1. Back up your existing content using Cognos. For instructions on creating a deployment archive, see the IBM Cognos website.
2. On a second server, install IBM Cognos Business Intelligence version 10.2.2.
3. Install any fix packs.
4. Create a new content store database. For more information, see the [Create and configure the content store database](#) section of this guide.
5. Run the Perceptive Business Insight 7.x installer.
6. Start Cognos Configuration, save the configuration settings, and start the services.
7. Copy the deployment archive from the old server to the new server location. The file is stored in the following location.

```
C:\Program Files (x86)\ibm\cognos\c10\deployment
```

8. Open the **biintegrator.properties** file stored in the following location.

```
C:\Program Files (x86)\ibm\cognos\c10\bin\utilities\biintegrator
```

9. In the **ARCHIVE.IMPORT.SKIP** setting, enter **1**.
10. Save the **biintegrator.properties** file.
11. Run the **run.bat** file.
12. Ensure IIS is installed and configured with the proper file locations and gateway URI name. For more information, see the [Configure Internet Information Services \(IIS\)](#) section of this guide.
13. Restart IIS.

14. On Perceptive Content Server, update the **inserver.ini** file to use the new **business.insight.url** and the **business.insight.dispatcher** addresses.
15. Restart the Perceptive Content Server service.
16. Open Cognos Connection as the BI Owner user using a web browser.
17. From **IBM Cognos Administration**, click the **Configuration** tab.
18. In the left pane, click **Content Administration**.
19. Click the **New Import** button and follow the import wizard for the exported content store.
20. Open IBM Cognos Connection and upgrade your report specifications. For instructions on upgrading report specifications, see the IBM Cognos website.
21. Test the functionality in Perceptive Content Client.

Uninstall Cognos 10.2.1 and install 10.2.2

To uninstall Cognos 10.2.1 and install Cognos 10.2.2, complete the following steps.

1. Back up your existing content using Cognos. For instructions on creating a deployment archive, see the IBM Cognos website.
2. Stop the Cognos services.
3. Copy the deployment archive to the following location.
`C:\Program Files (x86)\ibm\cognos\c10\deployment`
4. Uninstall ImageNow Business Insight from Programs and Features.
5. Uninstall the previous version of Cognos. For instructions on uninstalling IBM Cognos Business Intelligence, see the IBM Cognos website.
6. Delete all content from the following directory.
`C:\Program Files (x86)\ibm\`
7. Install IBM Cognos Business Intelligence version 10.2.2.
8. Install fix packs.
9. Run the Perceptive Business Insight 7.x installer.
10. Start Cognos Configuration, save the configuration settings, and start the services.
11. Open the **biintegrator.properties** file stored in the following location.
`C:\Program Files (x86)\ibm\cognos\c10\bin\utilities\biintegrator`
12. In the **ARCHIVE.IMPORT.SKIP** setting, enter **1**.
13. Save the **biintegrator.properties** file.
14. Run the **run.bat** file.
15. Start Cognos Connection and upgrade your report specifications. For instructions on upgrading report specifications, see the IBM Cognos website.
16. Test the functionality in Perceptive Content Client.