

MDR Video Touch

Technical Specifications

PG11026 Rev005

Regulations and Compliance

Australian Sponsor:

Emergo Australia Level 20 Tower II Darling Park 201 Sussex Street Sydney, NSW 2000 Australia

EU Sponsor:

EC REP

EMERGO EUROPE Prinsessegracht 20 2514 AP The Hague The Netherlands

Distribuidor no Brasil:

MDR Video Touch

Registro Anvisa nº: 80117580277

Responsável Técnico: Luiz Levy Cruz Martins

CRF- 42415 IMPORTADOR:

Emergo Brazil Import Importação e Distribuição de Produtos Médicos Hospitalares Ltda. Avenida Francisco Matarazzo, 1.752, Salas

502/503, Água Branca, São Paulo-SP,

CEP - 05001-200

CNPJ: 04.967.408/0001-98 e-mail: brazilvigilance@ul.com







Manufacturer Hyland LLC

4309 Hacienda Drive, Suite 500 Pleasanton, CA 94588 USA

For support, contact:

Tel: 1-844-535-1404

Web: https://community.hyland.com

© 2019 Hyland. Hyland and the Hyland logo are trademarks of Hyland LLC, registered in the United States and/or other countries. All other trademarks are the property of their respective owners.

Symbols used in this document



European Economic Area certification mark



ISO 7000:3500 - Electronic Instructions For Use

To indicate on product or product packaging that relevant information for use of the product is available in electronic form rather than, or in addition to, printed paper form.



ISO 7000:3082 - Manufacturer

To identify the manufacturer of a product.



ISO 7000: 0434B - Caution

To indicate that caution is necessary when operating the device or control close to where the symbol is placed, or to indicate that the current situation needs operator awareness or operator action in order to avoid undesirable consequences.

Table of Contents

Regulations and Compliance	. 2
Symbols used in this document	. 3
What is the MDR Video Touch?	. 5
MDR Video Touch Technical Specifications	. 5
Hardware specifications	5

What is the MDR Video Touch?

The MDR Video Touch is a hardware device that captures and sends high resolution images and video from a wide range of modalities to PACS/VNA. It provides image and video capture and transfer at the point of care without the need for a workstation.

The MDR Video Touch has a built-in server that handles security, configuration, and the flow of data between the modalities and destination DICOM systems. However, the MDR Video Touch can also connect to an external instance of Pacsgear Core Server to handle these functions.

MDR Video Touch Technical Specifications

Hardware specifications

The following table provides hardware specifications of the MDR Video Touch.

I/O	Connectors and Adapters
Video in	DVI, BNC, VGA (with DVI-VGA adapter), component (with breakout cable), composite, SDI, HDSDI, HDMI, S Video
Video out	HDMI
Audio in	Stereo RCA
Audio out	Headphone, speaker (1/8" mini-jack)
Power	12 V DC power supply, adapter included