

Release Notes

FineReader 11 Hot Patch Build 3307 Version: Perceptive Intelligent Capture 5.6 SP1

> Written by: Product Documentation, R&D Date: September 2016



© 2015 Lexmark. All rights reserved.

Lexmark a trademark of Lexmark International, Inc., or its subsidiaries, registered in the U.S. and/or other countries. All other trademarks are the property of their respective owners. No part of this publication may be reproduced, stored, or transmitted in any form without the prior written permission of Lexmark.

Table of Contents

General Notes	4
Installation notes	5
Restore to the previous version	5



General Notes

This document describes defect corrections, software enhancements and installation instructions for hot patch build 3307. This hot patch contains files that require manual registration and configuration.

Updates

ID#	Case #	Affected Feature / Engine	Description
ALM 13040	N/A	FineReader 11 OCR processing and extraction	Resolved an issue with FineReader 11 that could cause PIC to shut down during extraction.
ALM 13039	N/A	FineReader 11 OCR performance	Resolved an issue with FineReader 11 that could affect CPU usage during OCR processing.
ALM 13020	N/A	FineReader 11 OCR processing	Resolved an issue with FineReader 11 that could cause OCR processing to end if users launched more than three OCR instances.



Installation notes

You must install this hot patch on a system with Perceptive Intelligent Capture 5.6 SP1. Install the patch on each machine that has a Perceptive Intelligent Capture instance.

The FineReader 11 component is available through the license file. To receive a license with FineReader 11, contact your Perceptive Software representative.

To install this hot patch, complete the following steps.

- 1. Stop or exit all instances of the following services and applications.
 - RTS and RTS services
 - Designer and Verifier applications
 - ABBYY SDK 11 Licensing Service
- 2. Back up the [installation directory]\Components\Cairo directory and subdirectories.
- 3. Extract the files from the hot patch ZIP package.
- 4. In the [*installation directory*]\Components\Cairo folder, delete the FinereaderX1 folder and CroFRX1.dll and then add the extracted ZIP contents.

Note If the files are locked, an error message displays. In this case, reboot the system to delete the files.

- 5. In the **\Components\Cairo** folder, run the **RegCro.bat** file with administrator rights to register the new **CroFRX1.dll** file.
- 6. Review the registration log to verify that all components registered.
- 7. Restart the RTS services and the ABBYY SDK 11 Licensing Service.

Note If you have documents with double-byte and extended ASCII character sets (CJKT), contact your Perceptive Software representative for an extension package.

Restore to the previous version

To restore the previous state, complete the following steps.

- 1. Stop or exit all instances of the following services and applications.
 - RTS and RTS services
 - Designer and Verifier applications
 - ABBYY SDK 11 Licensing Service
- 2. Restore the [installation directory]\Components\Cairo directory and subdirectories.

Note If an error message displays, reboot the system to restore the files.

- 3. In the **\Components\Cairo** folder, run the **RegCro.bat** file with administrator rights to register the restored **CroFRX1.dll** file.
- 4. Review the registration log to verify that all components registered.
- 5. Restart the RTS services and the ABBYY SDK 11 Licensing Service.