

Perceptive Process Mining

What's New Guide

Version: 2.6.x

Written by: Product Documentation, R&D
Date: September 2016

perceptivesoftware
from Lexmark

© 2015 Perceptive Software. All rights reserved

Lexmark and Perceptive Software are trademarks of Lexmark International, Inc., or its subsidiaries, registered in the U.S. and/or other countries. All other trademarks are the property of their respective owners. No part of this publication may be reproduced, stored, or transmitted in any form without the prior written permission of Perceptive Software.

Table of Contents

Overview	4
New features	4
Incremental Dataset updates	4
Product enhancements	4

Overview

Perceptive Process Mining, version 2.6, contains new features and product enhancements. This guide provides an overview of each of these areas. This guide contains the following sections.

- New features introduces the new functionality available in Perceptive Process Mining. This section is for users and administrators.
- Product enhancements provides an overview of the enhancements made to existing features. This section is for users and administrators.

Perceptive Process Mining Help updates are available with every release. In addition, you can go to the Customer Portal on our website to view Product Documentation for a particular version. This Product Documentation includes Help, Installation Guides, Getting Started Guides, Technical Specifications, and Readmes.

New features

This section highlights, in alphabetical order, new features available in Perceptive Process Mining, version 2.6. These new features include:

- Incremental dataset updates

Incremental Dataset updates

It is now possible to update datasets imported from a database incrementally. One can now import only the data changes since the previous update. The change operations are read from the database and applied to the existing dataset. This reduces the amount of data that is being read from the database and speeds up the import process.

Supported update operations include:

- **Event insertion:** Adds an event (with its attributes) to a case. If the case already existed, the event is added at the appropriate location based on its timestamp. If the case did not exist, a new case is created. The case attributes of the event override any existing case attributes.
- **Case update:** Updates the case attributes of an existing case. If the case does not exist, the update has no effect.
- **Case deletion:** Deletes a specified case with all its events.

Product enhancements

This section provides an overview of enhancements made to existing functionality. This release provides updates to the following features.

- Speed improvements for dataset readers during analysis.
- Removed support for printing to paper formats larger than A2.
- Documentation updates